



Trailing Suction Hopper Dredger

# ANDROMEDA V



## Features

- ▶ Large hopper capacity of 20,000 m<sup>3</sup> and 30,000 t deadweight
- ▶ Maximum dredging depth 70 m with 2 x 2,200 kW submersible dredge pump units
- ▶ Multiple discharge methods - bottom doors, pump ashore and rainbow

GOING FURTHER


その先の向こうへ



PENTA OCEAN  
CONSTRUCTION CO., LTD.  
五洋建設



# Trailing Suction Hopper Dredger **ANDROMEDA V**



Builder	IHC Holland NV
Year Built	May 1999
Classification	B.V : 13/3E*Hopper Dredger(Deep sea)AUT-MS NK : NS*(Drag Suction Hopper Dredger),MNS*
Gross Tonnage	22,049 GT
Overall Length	166.7 m
Length between p.p.	160.0 m
Breadth (mld.)	31.0 m
Depth (mld.)	12.5 m
Draught - Dredging Mark	10.5 m
Hopper Capacity	20,000 m <sup>3</sup>
Maximum Loading Capacity	30,000 tons
Suction Pipe Diameter	1,200 mm
Dredging Depth	20m ~ 70 m
Service Speed	16.0 knots
Inboard Dredge Pumps	2 x 6,000 kW
Submersible Dredge Pumps	2 x 2,200 kW
Shore Discharge Pump	12,000 kW
Jet Pump	2 x 1,350 kW
Main Engines	2 x 12,600 kW
Propulsion	2 x 9,000 kW with c.p.p.
Bow Thrusters	2 x 850 kW
Total Installed Power	27,030 kW



2-2-8 Koraku, Bunkyo-ku  
Tokyo 112-8576 Japan  
Tel: +81 3 3817 7181  
Fax: +81 3 3817 7642  
<http://www.penta-ocean.co.jp>